


**Percentage of Adults 50+ With Blood Stool Test in Past Two Years, By Race and Ethnicity, for Groups with > 50 Respondents, Connecticut BRFSS Survey, 2004-2007**



**Percentage of Adults 50+ With a Blood Stool Test in the Past Two Years, By Race and Ethnicity, for Groups with > 50 Respondents, Connecticut BRFSS Survey, 2004-2007**

Town and Health Reference Group (HRG)	HRG	All Race and Ethnicity, Age-Specific Percentage		White, Not Hispanic		Black, Not Hispanic		Hispanic		Asian, Not Hispanic	
		%	Margin of error	%	Margin of error	%	Margin of error	%	Margin of error	%	Margin of error
Bridgeport	1	24.3	8.1	22.8	9.8						
Hartford	1	21.0	8.8	31.4	15.1	18.1	13.7				
New Haven	1	33.9	8.3	33.2	10.3	39.2	16.9				
HRG 1-3		28.2	2.0	29.5	2.2	26.6	6.7	18.4	7.7		
HRG 4-6		29.0	1.6	29.4	1.7			19.4	11.2		
Urban Centers	1	27.3	4.9	29.7	6.7	29.0	9.9	17.0	11.6		
Manufacturing Cent	2	25.3	2.9	26.3	3.2	21.6	10.6	22.2	13.2		
Diverse Suburbs	3	31.4	3.1	32.3	3.3						
Wealthy Suburbs	4	32.6	3.2	33.4	3.3						
Mill Towns	5	27.0	2.6	27.0	2.6						
Rural Towns	6	28.2	2.7	28.5	2.8						
Connecticut		28.8	1.2	29.5	1.3	28.3	6.5	17.9	6.2		

**Data Source:**

Behavioral Risk Factor Surveillance System Survey, 2004, 2006, Connecticut Department of Public Health

**Brief Notes:**

All race and ethnicity specific data are age-specific.

Exclusions: groups with <= 50 respondents and HRG specific rates where the margin of error is > the rate.

See notes on adjacent website button for detailed explanations of the survey and data.